



December 22, 2017

Laboratory ID: 100006

Alan Schaffer
Missouri Department of Health State Public Health Laboratory
101 North Chestnut
Jefferson City, MO 65101

Dear Mr. Schaffer:

Congratulations! The AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC's Analytical Accreditation Board (AAB) has approved Missouri Department of Health State Public Health Laboratory as an accredited Environmental Lead laboratory.

Accreditation documentation includes the ELLAP accreditation certificate, scope of accreditation document and a copy of the current AIHA-LAP, LLC license agreement (if your completed agreement is not on file at AIHA-LAP, LLC). The accreditation symbol has been designed for use by all AIHA-LAP, LLC accredited laboratories. If your laboratory chooses to use the symbol in its advertising the laboratory's accreditation, you must complete and return the AIHA-LAP, LLC license agreement to a Laboratory Accreditation Specialist. Once submitted, an electronic copy of the accreditation symbol will be sent to you. Please inform us if your laboratory does not wish to use the symbol in advertising.

Laboratory accreditation shall be maintained by continued compliance with ELLAP requirements (*see Policy Modules 2C and 6*), which includes proficient participation in AIHA-LAP, LLC approved proficiency testing, demonstration of competency, or round robin program as indicated on the AIHA-LAP "Approved PT and Round Robin" webpage, its associated Scope/PT table, and as required in Policy Module 6, for all Fields of Testing (FoTs) for which the laboratory is accredited. An accredited laboratory that wishes to expand into a new FoT must submit an updated accreditation application to AIHA-LAP, LLC for review by the AAB.

Any changes in ownership, laboratory location, personnel, FoTs/Methods, or significant procedural changes shall be reported to AIHA-LAP, LLC in writing within twenty (20) business days of the change.

The accreditation certificate is the property of AIHA-LAP, LLC and must be returned to us should your laboratory withdraw or be removed from the ELLAP.

Again, congratulations. If you have any questions, please contact Lauren Schnack, Senior Specialist, Quality and Accreditation, at (703) 846-0716.

Sincerely,

A handwritten signature in cursive script that reads "Cheryl O. Morton".

Cheryl O. Morton
Managing Director
AIHA Laboratory Accreditation Programs, LLC

AIHA Laboratory Accreditation Programs, LLC
3141 Fairview Park Drive, Suite 777, Falls Church, VA 22042 USA
main +1 703-846-0736 *fax* +1 703-207-8558

Twitter: @AIHA_LAP_LLC

R3 05/05/2015

Page 1 of 1



AIHA Laboratory Accreditation Programs, LLC

acknowledges that

Missouri Department of Health State Public Health Laboratory

101 North Chestnut, Jefferson City, MO 65101

Laboratory ID: 100006

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories* in the following:

LABORATORY ACCREDITATION PROGRAMS

- INDUSTRIAL HYGIENE
- ENVIRONMENTAL LEAD
- ENVIRONMENTAL MICROBIOLOGY
- FOOD
- UNIQUE SCOPES

Accreditation Expires:

Accreditation Expires: January 01, 2020

Accreditation Expires:

Accreditation Expires:

Accreditation Expires:

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website (www.aihaaccreditedlabs.org) for the most current Scope.

William Walsh, CIH
Chairperson, Analytical Accreditation Board

Cheryl O. Morton
Managing Director, AIHA Laboratory Accreditation Programs, LLC

Revision 15: 03/30/2016

Date Issued: 12/22/2017



AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

Missouri Department of Health State Public Health Laboratory Laboratory ID: **100006**
 101 North Chestnut, Jefferson City, MO 65101 Issue Date: 12/22/2017

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

The EPA recognizes the AIHA-LAP, LLC ELLAP program as meeting the requirements of the National Lead Laboratory Accreditation Program (NLLAP) established under Title X of the Residential Lead-Based Paint Hazard Reduction Act of 1992 and includes paint, soil and dust wipe analysis. Air and composited wipes analyses are not included as part of the NLLAP.

Environmental Lead Laboratory Accreditation Program (ELLAP)

Initial Accreditation Date: 08/15/1999

Field of Testing (FoT)	Technology sub-type/ Detector	Method	Method Description <i>(for internal methods only)</i>
Paint		EPA SW-846 3051A	
		EPA SW-846 6010C	
Soil		EPA SW-846 3051A	
		EPA SW-846 6010C	
Settled Dust by Wipe		EPA SW-846 3051A	
		EPA SW-846 6010C	

A complete listing of currently accredited Environmental Lead laboratories is available on the AIHA-LAP, LLC website at:
<http://www.aihaaccreditedlabs.org>