



October 31, 2017

Laboratory ID: 100363

Donald Andrews  
PPG Corporate IH laboratory  
151 Colfax Street  
Springdale, PA 15144

Dear Mr. Andrews:

Congratulations! The AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC's Analytical Accreditation Board (AAB) has approved PPG Corporate IH laboratory as an accredited Industrial Hygiene laboratory.

Accreditation documentation includes the IHLAP accreditation certificate, scope of accreditation document and a copy of the current AIHA-LAP, LLC license agreement (if your completed agreement is not on file at AIHA-LAP, LLC). The accreditation symbol has been designed for use by all AIHA-LAP, LLC accredited laboratories. If your laboratory chooses to use the symbol in its advertising the laboratory's accreditation, you must complete and return the AIHA-LAP, LLC license agreement to a Laboratory Accreditation Specialist. Once submitted, an electronic copy of the accreditation symbol will be sent to you. Please inform us if your laboratory does not wish to use the symbol in advertising.

Laboratory accreditation shall be maintained by continued compliance with IHLAP requirements (*see Policy Modules 2B and 6*), which includes proficient participation in AIHA-LAP, LLC approved proficiency testing, demonstration of competency, or round robin program as indicated on the AIHA-LAP "Approved PT and Round Robin" webpage, its associated Scope/PT table, and as required in Policy Module 6, for all Fields of Testing (FoTs) for which the laboratory is accredited. An accredited laboratory that wishes to expand into a new FoT must submit an updated accreditation application to AIHA-LAP, LLC for review by the AAB.

Any changes in ownership, laboratory location, personnel, FoTs/Methods, or significant procedural changes shall be reported to AIHA-LAP, LLC in writing within twenty (20) business days of the change.

The accreditation certificate is the property of AIHA-LAP, LLC and must be returned to us should your laboratory withdraw or be removed from the IHLAP.

Again, congratulations. If you have any questions, please contact Lauren Schnack, Senior Specialist, Quality and Accreditation, at (703) 846-0716.

Sincerely,

Cheryl O. Morton  
Managing Director  
AIHA Laboratory Accreditation Programs, LLC

*AIHA Laboratory Accreditation Programs, LLC*  
3141 Fairview Park Drive, Suite 777, Falls Church, VA 22042 USA  
*main* +1 703-846-0736 *fax* +1 703-207-8558

*Twitter: @AIHA\_LAP\_LLC*

R3 05/05/2015

Page 1 of 1



## AIHA Laboratory Accreditation Programs, LLC

*acknowledges that*

### PPG Corporate IH Laboratory

151 Colfax Street, Springdale, PA 15144

Laboratory ID: 100363

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories* in the following:

#### LABORATORY ACCREDITATION PROGRAMS

- INDUSTRIAL HYGIENE**
- ENVIRONMENTAL LEAD**
- ENVIRONMENTAL MICROBIOLOGY**
- FOOD**
- UNIQUE SCOPES**

Accreditation Expires: November 01, 2019

Accreditation Expires:

Accreditation Expires:

Accreditation Expires:

Accreditation Expires:

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website ([www.aihaaccreditedlabs.org](http://www.aihaaccreditedlabs.org)) for the most current Scope.

William Walsh, CIH  
Chairperson, Analytical Accreditation Board

Cheryl O. Morton  
Managing Director, AIHA Laboratory Accreditation Programs, LLC

Revision 15: 03/30/2016

Date Issued: 10/31/2017



# AIHA Laboratory Accreditation Programs, LLC

## SCOPE OF ACCREDITATION

**PPG Corporate IH Laboratory**  
 151 Colfax Street, Springdale, PA 15144

Laboratory ID: **100363**  
 Issue Date: 10/31/2017

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

### Industrial Hygiene Laboratory Accreditation Program (IHLAP)

**Initial Accreditation Date: 07/01/1980**

IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/ Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
<b>Chromatography Core</b>	Gas Chromatography	GC/FID	In-house: 2,4-Pentanedione by GC	SOP IH-37
			In-House: Ethanol	SOP IH-21
			In-House: Methanol Cyclohexane and Isophorone	SOP IH-28
			In-House: Methyl Ethyl Ketoxime	SOP IH-26
			NIOSH 1403	
			NIOSH 1405	
			NIOSH 1501	
			NIOSH 2000 (modified)	
			NIOSH 2004	
			NIOSH 2537	
			OSHA 07	
			OSHA 59	
	OSHA PV2009			
	Gas Chromatography (Diffusive Samplers)		In-house: Alcohols	SOP IH-44
			In-house: Isophorone	SOP IH-39
			NIOSH 1403 Modified	
	Liquid Chromatography	HPLC/UV	NIOSH 2016 - Modified	
			NIOSH P&CAM 333	
OSHA 18 - Modified				
OSHA 42				



<b>IHLAP Scope Category</b>	<b>Field of Testing (FoT)</b> (FoTs cover all relevant IH matrices)	<b>Technology sub-type/ Detector</b>	<b>Published Reference Method/Title of In-house Method</b>	<b>Method Description or Analyte</b> <i>(for internal methods only)</i>
<b>Chromatography Core</b>	Liquid Chromatography	HPLC/UV	OSHA 47	
<b>Miscellaneous Core</b>	Gravimetric		NIOSH 0500	
			NIOSH 0500 - Modified	
			NIOSH 0600	

A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>