



January 31, 2017

Laboratory ID: 100468

Jennifer Webb
Army Public Health Center (Provisional)
5158 Blackhawk Road
APG, MD 21010-5403

Dear Ms. Webb:

Congratulations! The AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC's Analytical Accreditation Board (AAB) has approved Army Public Health Center (Provisional) as an accredited Industrial Hygiene laboratory.

Accreditation documentation includes the IHLAP accreditation certificate, scope of accreditation document and a copy of the current AIHA-LAP, LLC license agreement (if your completed agreement is not on file at AIHA-LAP, LLC). The accreditation symbol has been designed for use by all AIHA-LAP, LLC accredited laboratories. If your laboratory chooses to use the symbol in its advertising the laboratory's accreditation, you must complete and return the AIHA-LAP, LLC license agreement to a Laboratory Accreditation Specialist. Once submitted, an electronic copy of the accreditation symbol will be sent to you. Please inform us if your laboratory does not wish to use the symbol in advertising.

Laboratory accreditation shall be maintained by continued compliance with IHLAP requirements (*see Policy Modules 2B and 6*), which includes proficient participation in AIHA-LAP, LLC approved proficiency testing, demonstration of competency, or round robin program as indicated on the AIHA-LAP "Approved PT and Round Robin" webpage, its associated Scope/PT table, and as required in Policy Module 6, for all Fields of Testing (FoTs) for which the laboratory is accredited. An accredited laboratory that wishes to expand into a new FoT must submit an updated accreditation application to AIHA-LAP, LLC for review by the AAB.

Any changes in ownership, laboratory location, personnel, FoTs/Methods, or significant procedural changes shall be reported to AIHA-LAP, LLC in writing within twenty (20) business days of the change.

The accreditation certificate is the property of AIHA-LAP, LLC and must be returned to us should your laboratory withdraw or be removed from the IHLAP.

Again, congratulations. If you have any questions, please contact Lauren Schnack, Senior Specialist, Quality and Accreditation, at (703) 846-0716.

Sincerely,

Cheryl O. Morton
Managing Director
AIHA Laboratory Accreditation Programs, LLC

AIHA Laboratory Accreditation Programs, LLC
3141 Fairview Park Drive, Suite 777, Falls Church, VA 22042 USA
main +1 703-846-0736 fax +1 703-207-8558

Twitter: @AIHA_LAP_LLC

R3 05/05/2015

Page 1 of 1



AIHA Laboratory Accreditation Programs, LLC

acknowledges that

Army Public Health Center (Provisional)

5158 Blackhawk Road, APG, MD 21010-5403

Laboratory ID: 100468

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories* in the following:

LABORATORY ACCREDITATION PROGRAMS

- INDUSTRIAL HYGIENE**
- ENVIRONMENTAL LEAD**
- ENVIRONMENTAL MICROBIOLOGY**
- FOOD**
- UNIQUE SCOPES**

Accreditation Expires: February 01, 2019

Accreditation Expires:

Accreditation Expires:

Accreditation Expires:

Accreditation Expires:

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website (www.aihaaccreditedlabs.org) for the most current Scope.

William Walsh, CIH
Chairperson, Analytical Accreditation Board

Cheryl O. Morton
Managing Director, AIHA Laboratory Accreditation Programs, LLC

Revision 15: 03/30/2016

Date Issued: 01/31/2017



AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

Army Public Health Center (Provisional)
5158 Blackhawk Road, APG, MD 21010-5403

Laboratory ID: **100468**
Issue Date: 01/31/2017

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

Industrial Hygiene Laboratory Accreditation Program (IHLAP)

Initial Accreditation Date: 06/01/1974

IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/ Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
Chromatography Core	Gas Chromatography	GC/FID	NIOSH 1003	
			NIOSH 1006	
			NIOSH 1007	
			NIOSH 1018	
			NIOSH 1019	
			NIOSH 1022	
			NIOSH 1300	
			NIOSH 1301	
			NIOSH 1400	
			NIOSH 1401	
			NIOSH 1450	
			NIOSH 1453	
			NIOSH 1457	
			NIOSH 1458	
			NIOSH 1500	
			NIOSH 1501	
			NIOSH 1550	
			NIOSH 1550 Modified	
			NIOSH 1551	
			NIOSH 1604	
NIOSH 2000				
NIOSH 2537				
NIOSH 2553				
NIOSH 5515				
OSHA 103				



IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/ Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
Chromatography Core	Gas Chromatography	GC/FID	OSHA 106	
		GC/ECD	DLS 141	2, 3-Dimethyl-2,3-dinitrobutane; 2, 4-Dinitroanisole
			NIOSH 2005 Modified	
			NIOSH 2507	
			NIOSH 5510	
			NIOSH 5519	
			OSHA 1017 Modified	
			OSHA 44 Modified	
	Gas Chromatography (Diffusive Samplers)	GC/ECD	OSHA 70	
		NIOSH 1003		
		NIOSH 1005		
		NIOSH 1010		
		NIOSH 1020		
		NIOSH 1022		
		NIOSH 1300		
		NIOSH 1301		
		NIOSH 1400		
		NIOSH 1401		
		NIOSH 1402		
		NIOSH 1403		
		NIOSH 1450		
		NIOSH 1457		
		NIOSH 1458		
		NIOSH 1500		
		NIOSH 1501		
		NIOSH 1550		
		NIOSH 1606		
		NIOSH 1610		
		NIOSH 2537		
		OSHA 1004		
		OSHA 103		
		OSHA 106		
	OSHA 16			
OSHA 80				
Ion Chromatography (IC)		OSHA ID 215		
Spectrometry Core	Inductively-Coupled Plasma	ICP/MS	NIOSH 7300 Modified	
		ICP/AES	EPA SW-846 3050B	
			EPA SW-846 6010B	



IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
Miscellaneous Core	Gravimetric		NIOSH 0500	
			NIOSH 0600	

A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>