



September 28, 2018

Laboratory ID: 101030

Michael J. Swiech
GPI Laboratories, Inc.
4403 Donker Court SE
Kentwood, MI 49512

Dear Mr. Swiech:

Congratulations! The AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC's Analytical Accreditation Board (AAB) has approved GPI Laboratories, Inc. as an accredited Industrial Hygiene and Environmental Lead laboratory.

Accreditation documentation includes the IHLAP and ELLAP accreditation certificate, scope of accreditation document and a copy of the current AIHA-LAP, LLC license agreement (if your completed agreement is not on file at AIHA-LAP, LLC). The accreditation symbol has been designed for use by all AIHA-LAP, LLC accredited laboratories. If your laboratory chooses to use the symbol in its advertising the laboratory's accreditation, you must complete and return the AIHA-LAP, LLC license agreement to a Laboratory Accreditation Specialist. Once submitted, an electronic copy of the accreditation symbol will be sent to you.

Laboratory accreditation shall be maintained by continued compliance with IHLAP and ELLAP requirements (*see Policy Modules 2B, 2C, and 6*), which includes proficient participation in AIHA-LAP, LLC approved proficiency testing, demonstration of competency, or round robin program as indicated on the AIHA-LAP "Approved PT and Round Robin" webpage, its associated Scope/PT table, and as required in Policy Module 6, for all Fields of Testing (FoTs) for which the laboratory is accredited. An accredited laboratory that wishes to expand into a new FoT must submit an updated accreditation application to AIHA-LAP, LLC for review by the AAB.

Any changes in ownership, laboratory location, personnel, FoTs/Methods, or significant procedural changes shall be reported to AIHA-LAP, LLC in writing within twenty (20) business days of the change.

The accreditation certificate is the property of AIHA-LAP, LLC and must be returned to us should your laboratory withdraw or be removed from the IHLAP and ELLAP.

Again, congratulations. If you have any questions, please contact Lauren Schnack, Laboratory Accreditation Specialist, at (703) 846-0716.

Sincerely,

Cheryl O. Morton
Managing Director

AIHA Laboratory Accreditation Programs, LLC
3141 Fairview Park Drive, Suite 777, Falls Church, VA 22042 USA
main +1 703-846-0736 *fax* +1 703-207-8558

Twitter: @AIHA_LAP_LLC

R4 01/24/2018

Page 1 of 1



AIHA Laboratory Accreditation Programs, LLC

acknowledges that

GPI Laboratories, Inc.

4403 Donker Court SE, Kentwood, MI 49512

Laboratory ID: 101030

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories* in the following:

LABORATORY ACCREDITATION PROGRAMS

- | | |
|---|--|
| <input checked="" type="checkbox"/> INDUSTRIAL HYGIENE | Accreditation Expires: November 01, 2020 |
| <input checked="" type="checkbox"/> ENVIRONMENTAL LEAD | Accreditation Expires: November 01, 2020 |
| <input type="checkbox"/> ENVIRONMENTAL MICROBIOLOGY | Accreditation Expires: |
| <input type="checkbox"/> FOOD | Accreditation Expires: |
| <input type="checkbox"/> UNIQUE SCOPES | Accreditation Expires: |

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website (www.aihaaccreditedlabs.org) for the most current Scope.

Elizabeth Bair

Elizabeth Bair
Chairperson, Analytical Accreditation Board

Cheryl O. Morton

Cheryl O. Morton
Managing Director, AIHA Laboratory Accreditation Programs, LLC



AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

GPI Laboratories, Inc.
4403 Donker Court SE, Kentwood, MI 49512

Laboratory ID: **101030**
Issue Date: 09/28/2018

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

Industrial Hygiene Laboratory Accreditation Program (IHLAP)

Initial Accreditation Date: 08/01/1996

IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
Spectrometry Core	Inductively-Coupled Plasma	ICP/AES	40 CFR 50, App. G	Reference Method for the Determination of Lead in Suspended Particulate Matter Collected From Ambient Air
			EPA 600/R-93/200	
			EPA SW-846-6010D	
			EPA SW-846 6010C	
			NIOSH 7300	

A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>



AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

GPI Laboratories, Inc.

4403 Donker Court SE, Kentwood, MI 49512

Laboratory ID: **101030**

Issue Date: 09/28/2018

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

The EPA recognizes the AIHA-LAP, LLC ELLAP program as meeting the requirements of the National Lead Laboratory Accreditation Program (NLLAP) established under Title X of the Residential Lead-Based Paint Hazard Reduction Act of 1992 and includes paint, soil and dust wipe analysis. Air and composited wipes analyses are not included as part of the NLLAP.

Environmental Lead Laboratory Accreditation Program (ELLAP)

Initial Accreditation Date: 04/17/1995

Field of Testing (FoT)	Technology sub-type/ Detector	Method	Method Description <i>(for internal methods only)</i>
Paint		AOAC 974.02	
		EPA 600/R-93/200	
		EPA SW-846-6010D	
		EPA SW-846 3050B	
		EPA SW-846 6010C	
Soil		EPA 600/R-93/200	
		EPA SW-846-6010D	
		EPA SW-846 3050B	
		EPA SW-846 6010C	
Settled Dust by Wipe		EPA 600/R-93/200	
		EPA SW-846-6010D	
		EPA SW-846 3050B	
		EPA SW-846-6010C	
Airborne Dust		40 CFR 50, App. G	Reference Method for the Determination of Lead in Suspended Particulate Matter Collected From Ambient Air
		EPA 600/R-93/200	
		EPA SW-846-6010C	
		EPA SW-846-6010D	
		NIOSH 7300	

A complete listing of currently accredited Environmental Lead laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>