



February 28, 2018

Laboratory ID: 102293

Sandra Méndez Rojas  
Laboratorio de Higiene Industrial Asociacion Chilena De Seguridad  
RAMON CARNICER 163, PISO 5, PROVIDENCIA  
Santiago, CHILE

Dear Ms. Méndez Rojas:

Congratulations! The AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC's Analytical Accreditation Board (AAB) has approved Laboratorio de Higiene Industrial Asociacion Chilena De Seguridad as an accredited Industrial Hygiene laboratory.

Accreditation documentation includes the IHLAP accreditation certificate, scope of accreditation document and a copy of the current AIHA-LAP, LLC license agreement (if your completed agreement is not on file at AIHA-LAP, LLC). The accreditation symbol has been designed for use by all AIHA-LAP, LLC accredited laboratories. If your laboratory chooses to use the symbol in its advertising the laboratory's accreditation, you must complete and return the AIHA-LAP, LLC license agreement to a Laboratory Accreditation Specialist. Once submitted, an electronic copy of the accreditation symbol will be sent to you.

Laboratory accreditation shall be maintained by continued compliance with IHLAP requirements (*see Policy Modules 2B and 6*), which includes proficient participation in AIHA-LAP, LLC approved proficiency testing, demonstration of competency, or round robin program as indicated on the AIHA-LAP "Approved PT and Round Robin" webpage, its associated Scope/PT table, and as required in Policy Module 6, for all Fields of Testing (FoTs) for which the laboratory is accredited. An accredited laboratory that wishes to expand into a new FoT must submit an updated accreditation application to AIHA-LAP, LLC for review by the AAB.

Any changes in ownership, laboratory location, personnel, FoTs/Methods, or significant procedural changes shall be reported to AIHA-LAP, LLC in writing within twenty (20) business days of the change.

The accreditation certificate is the property of AIHA-LAP, LLC and must be returned to us should your laboratory withdraw or be removed from the IHLAP.

Again, congratulations. If you have any questions, please contact Lauren Schnack, Laboratory Accreditation Specialist, at (703) 846-0716.

Sincerely,

Cheryl O. Morton  
Managing Director

*AIHA Laboratory Accreditation Programs, LLC*  
3141 Fairview Park Drive, Suite 777, Falls Church, VA 22042 USA  
*main* +1 703-846-0736 *fax* +1 703-207-8558

*Twitter: @AIHA\_LAP\_LLC*

R4 01/24/2018

Page 1 of 1



## AIHA Laboratory Accreditation Programs, LLC

*acknowledges that*

### **Laboratorio de Higiene Industrial Asociacion Chilena De Seguridad**

RAMON CARNICER 163, PISO 5, PROVIDENCIA, Santiago, Chile

Laboratory ID: 102293

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories* in the following:

#### **LABORATORY ACCREDITATION PROGRAMS**

- |   |                                       |
|---|---------------------------------------|
| <input checked="" type="checkbox"/> <b>INDUSTRIAL HYGIENE</b> | Accreditation Expires: March 01, 2020 |
| <input type="checkbox"/> <b>ENVIRONMENTAL LEAD</b>            | Accreditation Expires:                |
| <input type="checkbox"/> <b>ENVIRONMENTAL MICROBIOLOGY</b>    | Accreditation Expires:                |
| <input type="checkbox"/> <b>FOOD</b>                          | Accreditation Expires:                |
| <input type="checkbox"/> <b>UNIQUE SCOPES</b>                 | Accreditation Expires:                |

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website ([www.aihaaccreditedlabs.org](http://www.aihaaccreditedlabs.org)) for the most current Scope.

William Walsh, CIH  
Chairperson, Analytical Accreditation Board

Cheryl O. Morton  
Managing Director, AIHA Laboratory Accreditation Programs, LLC

Revision 15: 03/30/2016

Date Issued: 02/28/2018



# AIHA Laboratory Accreditation Programs, LLC

## SCOPE OF ACCREDITATION

### Laboratorio de Higiene Industrial Asociacion Chilena De Seguridad

RAMON CARNICER 163, PISO 5, PROVIDENCIA, Santiago, Chile

Laboratory ID: **102293**

Issue Date: 02/28/2018

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

### Industrial Hygiene Laboratory Accreditation Program (IHLAP)

**Initial Accreditation Date: 02/01/2001**

IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/ Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
Chromatography Core	Gas Chromatography	GC/FID	INSHT-MTA/MA-029	
			INSHT-MTA/MA-046/A00	
			INSHT-MTA/MA-13	
			NIOSH 2000	
	Ion Chromatography (IC)	GC/ECD	OSHA 1010	
			NIOSH 7903	
			OSHA ID-113	
Liquid Chromatography	HPLC/UV	NIOSH 2532		
Spectrometry Core	Atomic Absorption	FAA	INSHT - MTA/MA - 025/A92	international method (Metals in Air)
			MTA/MA-035/A96	FIAS AA
			OSHA ID-121	
	UV/VIS (Colorimetric)		INSHT - MTA/MA - 018/A89	international method (Formaldehyde in Air)
			LHN-5.4-23.AR	The chemistry of industrial toxicology. H. Elkins, 1959
Miscellaneous Core	Gravimetric		OSHA VI-6	
			NIOSH 0500	
			NIOSH 0600	

A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>

Effective: 04/10/2015

102293\_Scope\_IHLAP\_2018\_02\_28

Page 1 of 1