



January 30, 2012

Lab ID#: 102858

David Espique  
Patriot Environmental Laboratory Services, Inc.  
7271 Garden Grove Blvd.  
Suite A  
Garden Grove, CA 92841

Dear Mr. Espique:

AIHA Laboratory Accreditation Programs, (AIHA-LAP, LLC) has approved an extension to your laboratory's current certificate of accreditation in the Environmental Microbiological Laboratory Accreditation Program (EMLAP). This extension will expire on March 01, 2012. Remember that your laboratory's proficiency rating in the PAT programs must be maintained for the new certificate to be issued.

Your laboratory remains an accredited laboratory in the EMLAP program. Please keep a copy of this letter with your expired certificate. If you have questions or concerns, please feel free to contact Olena Bulgakova, Laboratory Accreditation Specialist at (703) 846-0792.

Sincerely,

A handwritten signature in black ink that reads 'Cheryl O. Morton'. The signature is written in a cursive, flowing style.

Cheryl O. Morton  
Director, Affiliate Laboratory Programs



# AIHA Laboratory Accreditation Programs, LLC

## Patriot Environmental Laboratory Services, Inc.

7271 Garden Grove Blvd., Suite A, Garden Grove, CA 92841  
Laboratory ID: 102858

*acknowledges that*

has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC thereby, conforming to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories*. The above named laboratory, along with all premises from which key activities are performed, as listed above, have been accredited by AIHA-LAP, LLC in the following:

### ACCREDITATION PROGRAMS

- INDUSTRIAL HYGIENE                      Accreditation Expires:
- ENVIRONMENTAL LEAD                    Accreditation Expires:
- ENVIRONMENTAL MICROBIOLOGY      Accreditation Expires: 11/01/2011
- FOOD    Accreditation Expires:

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with LQAP requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA website for the most current status of the scope of accreditation.

*Pamela A. Kostle*

*Pamela A. Kostle, CIH*  
*Chairperson, Analytical Accreditation Board*

Date Issued: 11/01/2009



## AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

Patriot Environmental Laboratory Services, Inc.  
7271 Garden Grove Blvd., Suite A, Garden Grove, CA 92841

Laboratory ID: **102858**  
Issue Date: 11/01/2009

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or revocation. A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>

### Environmental Microbiology Laboratory Accreditation Program (EMLAP)

**Initial Accreditation Date: 11/01/2009**

EMLAP Category	Field of Testing (FoT)	Method	Method Description <i>(for internal methods only)</i>
Fungal	Air – Culturable	SOP-IV.4.7/8	In-house: Analysis of Culturable Air Samples for Fungi
	Bulk – Culturable	SOP-IV.4.9/10	In-house: Analysis of Culturable Bulk Samples for Fungi
	Surface – Culturable	SOP-IV.4.9/10	In-house: Analysis of Bulk/Surface Samples for Fungi
	Air – Direct Examination	SOP-IV.4.1/2	In-house: Analysis of Spore Trap Direct Exam
	Bulk – Direct Examination	SOP-IV.4.3/4	In-house: Surface/Tape Lift Analysis
	Surface – Direct Examination	SOP-IV.4.3/4	In-house: Surface Tape Lift Analysis

**The laboratory participates in the following AIHA-LAP, LLC proficiency testing programs:**

- Fungal Culturable
- Bacterial Culturable
- Fungal Direct Examination