



September 28, 2011

Lab ID#: 102988

Angela Ramnath  
Dove Environmental Corporation  
8910 Miramar Parkway, Suite 200  
Miramar, FL 33025

Dear Ms. Ramnath:

AIHA Laboratory Accreditation Programs, (AIHA-LAP, LLC) has approved an extension to your laboratory's current certificate of accreditation in the Environmental Microbiological Laboratory Accreditation Program (EMLAP). This extension will expire on January 01, 2012. Remember that your laboratory's proficiency rating in the PAT programs must be maintained for the new certificate to be issued.

Your laboratory remains an accredited laboratory in the EMLAP program. Please keep a copy of this letter with your expired certificate. If you have questions or concerns, please feel free to contact Olena Bulgakova, Laboratory Accreditation Specialist at (703) 846-0792.

Sincerely,

A handwritten signature in cursive script that reads "Cheryl O. Morton".

Cheryl O. Morton  
Director, Affiliate Laboratory Programs



Protecting Worker Health

## The American Industrial Hygiene Association

*acknowledges that*

### Dove Environmental Corporation

4715 N.W. 157th Street, Suite 203, Miami, FL 33014

Laboratory ID: 102988

has fulfilled the requirements of the AIHA Laboratory Quality Assurance Programs (LQAP), thereby, conforming to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories*. The above named laboratory, along with all premises from which key activities are performed, as listed above, have been accredited by AIHA in the following:

#### ACCREDITATION PROGRAMS

- |  |                                   |
|--|-----------------------------------|
| <input type="checkbox"/> INDUSTRIAL HYGIENE                    | Accreditation Expires:            |
| <input type="checkbox"/> ENVIRONMENTAL LEAD                    | Accreditation Expires:            |
| <input checked="" type="checkbox"/> ENVIRONMENTAL MICROBIOLOGY | Accreditation Expires: 02/01/2011 |
| <input type="checkbox"/> FOOD                                  | Accreditation Expires:            |

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with LQAP requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA website for the most current status of the scope of accreditation.


*Pamela A. Kostle*

Pamela A. Kostle, CIH  
Chairperson, Analytical Accreditation Board

*Lindsay E. Booher*

Lindsay E. Booher, CIH, CSP  
President, AIHA

Date Issued: 02/01/2009



**LABORATORY QUALITY ASSURANCE PROGRAMS**

**SOUND DATA**

**SMART DECISIONS**

**AIHA**

*Your Essential Connection: Advancing Occupational and Environmental Health and Safety Globally*  
 2700 Prosperity Ave., Suite 250, Fairfax, VA 22031 U.S.A.  
 (703) 849-8888; Fax (703) 207-3561; www.aiha.org

## AIHA Laboratory Quality Assurance Programs SCOPE OF ACCREDITATION

**Dove Environmental Corporation**  
 4715 N.W. 157th Street, Suite 203, Miami, FL 33014

Laboratory ID: 102988  
 Issue Date: 02/01/2009

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or revocation. A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA website at: <http://www.aiha.org/Content/LQAP/accred/AccreditedLabs.htm>

### Environmental Microbiology Laboratory Accreditation Program (EMLAP)

**Initial Accreditation Date: 06/01/2006**

EMLAP Category	Field of Testing (FoT)	Method	Method Description <i>(for internal methods only)</i>
<b>Fungal</b>	Air – Culturable	SOP-MB-009	Preparation of Samples for Viable Fungal and Microscopic Fungi Analysis
	Bulk – Culturable	SOP-MB-009	Preparation of Samples for Viable Fungal and Microscopic Fungi Analysis
	Surface – Culturable	SOP-MB-009	Preparation of Samples for Viable Fungal and Microscopic Fungi Analysis
	Air – Direct Examination	SOP MB 017	Air - O - Cell Cyclex - d and Micro 5 Analysis
	Bulk – Direct Examination	SOP-MB-003	Fungi Examination by Direct Microscopic Examination
	Surface – Direct Examination	SOP-MB-003	Fungi Examination by Direct Microscopic Examination

**The laboratory participates in the following AIHA proficiency testing programs:**

- Fungal Culturable
- Bacterial Culturable
- Fungal Direct Examination