

December 22, 2011

Lab ID#: 173190

Sean Fitzgerald
Scientific Analytical Institute, Inc.
302-L Pomona Drive
Greensboro, NC 27407

Dear Mr. Fitzgerald:

AIHA Laboratory Accreditation Programs, (AIHA-LAP, LLC) has approved an extension to your laboratory's current certificate of accreditation in the Industrial Hygiene Laboratory Accreditation Program (IHLAP), Environmental Lead Laboratory Accreditation Program (ELLAP), and Environmental Microbiological Laboratory Accreditation Program (EMLAP). This extension will expire on April 01, 2012. Remember that your laboratory's proficiency rating in the PAT programs must be maintained for the new certificate to be issued.

Your laboratory remains an accredited laboratory in the IHLAP, ELLAP and EMLAP programs. Please keep a copy of this letter with your expired certificate. If you have questions or concerns, please feel free to contact Olena Bulgakova, Laboratory Accreditation Specialist at (703) 846-0792.

Sincerely,

Cheryl O. Morton
Director, Affiliate Laboratory Programs



November 01, 2011

Lab ID: 173190

Sean Fitzgerald
Scientific Analytical Institute, Inc
302-L Pomona Drive
Greensboro, NC 27407

Dear Mr. Fitzgerald:

Please find attached a revised scope page reflecting the suspension of Scientific Analytical Institute, Inc for Airborne Dust FoT. AIHA-LAP, LLC records indicate that Scientific Analytical Institute, Inc had a non-proficient rating in the Environmental Lead Proficiency Analytical Testing (ELPAT) Program at the close of round 76.

In order for the suspension to be removed, proficiency must be re-established. A laboratory is rated proficient for the applicable FoT/Method(s) if there are no more than twenty-five (25) percent cumulative outliers reported in the last four (4) consecutive PT rounds or there are no outliers reported in the last two (2) consecutive PT rounds. Once proficiency is re-established you will be sent an updated scope page.

Until you regain proficiency, please remember Policy 2A.5.10.3 which states "*Test results not covered under AIHA-LAP, LLC accreditation shall be clearly identified on the final test report*" for those FoTs that are not proficient.

If you have any questions, please contact Olena Bulgakova, Laboratory Accreditation Specialist, at (703) 846-0792.

Sincerely,

A handwritten signature in black ink that reads "Angela Oler".

Angela Oler
Accreditation Manager, AIHA LAP, LLC



AIHA

Laboratory Accreditation
Programs, LLC

AIHA Laboratory Accreditation Programs, LLC

acknowledges that

Scientific Analytical Institute, Inc.

302-L Pomona Drive, Greensboro, NC 27407

Laboratory ID: 173190

has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC thereby, conforming to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories*. The above named laboratory, along with all premises from which key activities are performed, as listed above, have been accredited by AIHA-LAP, LLC in the following:

ACCREDITATION PROGRAMS

- ✓ **INDUSTRIAL HYGIENE** Accreditation Expires: 01/01/2012
- ✓ **ENVIRONMENTAL LEAD** Accreditation Expires: 01/01/2012
- ✓ **ENVIRONMENTAL MICROBIOLOGY** Accreditation Expires: 01/01/2012
- FOOD** Accreditation Expires:

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website (www.aihaaccreditedlabs.org) for the most current status of the scope of accreditation.



Pamela A. Kostle, CIH
Chairperson, Analytical Accreditation Board

Date Issued: 01/01/2010



AIHA Laboratory Accreditation Programs, LLC

SCOPE OF ACCREDITATION

Scientific Analytical Institute, Inc.
 302-L Pomona Drive, Greensboro, NC 27407

Laboratory ID: **173190**
 Issue Date: 01/01/2010

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or revocation. A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>

Industrial Hygiene Laboratory Accreditation Program (IHLAP)

Initial Accreditation Date: 03/01/2007

IHLAP Category	Field of Testing (FoT)	Method	Method Description <i>(for internal methods only)</i>
Core Program Testing	XRD	NIOSH 7500	
	Ion Chromatography	OSHA ID-215	
	Gravimetric	NIOSH 0500	
		NIOSH 0600	
	Polarized Light Microscopy (PLM)	EPA 600/R-93/116	
	Phase Contrast Microscopy (PCM)	NIOSH 7400	
	Transmission Electron Microscopy (TEM)	NIOSH 7402	

The laboratory participates in the following AIHA-LAP, LLC-approved proficiency testing programs:

- | | |
|--|---|
| <input type="checkbox"/> Metals | <input type="checkbox"/> Organic Solvents |
| <input checked="" type="checkbox"/> Silica | <input type="checkbox"/> Diffusive Sampler (3M) |
| <input checked="" type="checkbox"/> Asbestos | <input type="checkbox"/> Diffusive Sampler (SKC) |
| <input type="checkbox"/> Bulk Asbestos | <input type="checkbox"/> Diffusive Sampler (AT) |
| <input type="checkbox"/> Beryllium | <input type="checkbox"/> WASP ¹ (Formaldehyde) |
| <input type="checkbox"/> WASP ¹ (Thermal Desorption Tubes) | |
| <input type="checkbox"/> Pharmaceutical Round Robin | |
| <input type="checkbox"/> Compressed/Breathing Air Round Robin | |
| <input type="checkbox"/> NVLAP (determined at the time of site assessment) | |

¹ Workplace Analytical Scheme for Proficiency



AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

Scientific Analytical Institute, Inc.
302-L Pomona Drive, Greensboro, NC 27407

Laboratory ID: **173190**
Issue Date: 11/01/2011

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or revocation. A complete listing of currently accredited Environmental Lead laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>

The EPA recognizes the AIHA-LAP, LLC ELLAP program as meeting the requirements of the National Lead Laboratory Accreditation Program (NLLAP) established under Title X of the Residential Lead-Based Paint Hazard Reduction Act of 1992 and includes paint, soil and dust wipe analysis. Air analysis is not included as part of the NLLAP.

Environmental Lead Laboratory Accreditation Program (ELLAP)

Initial Accreditation Date: 03/01/2007

Field of Testing (FoT)	Method	Method Description <i>(for internal methods only)</i>
Paint	EPA SW-846 3050B	
	EPA SW-846 7420	
Soil	EPA SW-846 3050B	
	EPA SW-846 7420	
Settled Dust by Wipe	EPA SW-846 3050B	

The laboratory participates in the following AIHA-LAP, LLC-approved proficiency testing programs:

- ✓ Paint
- ✓ Soil
- ✓ Settled Dust by Wipe
- ✓ Airborne Dust



AIHA Laboratory Accreditation Programs, LLC

SCOPE OF ACCREDITATION

Scientific Analytical Institute, Inc.
 302-L Pomona Drive, Greensboro, NC 27407

Laboratory ID: **173190**
 Issue Date: 01/01/2010

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or revocation. A complete listing of currently accredited Environmental Microbiology laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>

Environmental Microbiology Laboratory Accreditation Program (EMLAP)

Initial Accreditation Date: 04/01/2006

EMLAP Category	Field of Testing (FoT)	Method	Method Description <i>(for internal methods only)</i>
Fungal	Air – Culturable	B-SOP-007	
	Bulk – Culturable	B-SOP-009	
	Surface – Culturable	B-SOP-008	
	Air – Direct Examination	B-SOP-002	
		B-SOP-003	
	Bulk – Direct Examination	B-SOP-005	
	Surface – Direct Examination	B-SOP-004	

The laboratory participates in the following AIHA-LAP, LLC-approved proficiency testing programs:

- ✓Fungal Culturable
- Bacterial Culturable
- ✓Fungal Direct Examination