



10/27/2011

Laboratory ID: 184006

Teresa Bryning
SafeBridge Consultants, Inc.
1924 Old Middlefield Way
Mountain View, CA 94043-2503

Dear Ms. Teresa Bryning:

Congratulations! The AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC's Analytical Accreditation Board (AAB) has approved SafeBridge Consultants, Inc. as an accredited Industrial Hygiene laboratory.

Accreditation documentation includes the IHLAP accreditation certificate, scope of accreditation document and a copy of the current AIHA-LAP, LLC license agreement (if your completed agreement is not on file at AIHA-LAP, LLC). The accreditation logo has been designed for use by all AIHA-LAP, LLC accredited laboratories. If your laboratory chooses to use the logo in its advertising the laboratory's accreditation, you must complete and return the AIHA-LAP, LLC license agreement to a Laboratory Accreditation Specialist. Once submitted, an electronic copy of the accreditation logo will be sent to you. Please inform us if your laboratory does not wish to use the logo in advertising.

Laboratory accreditation shall be maintained by continued compliance with IHLAP requirements (*see Policy Modules 2B and 6*), which includes proficient participation in AIHA-LAP, LLC approved proficiency testing, demonstration of competency, or round robin program as indicated on the AIHA-LAP "Approved PT and Round Robin" webpage, its associated PT-Scope table, and as required in Policy Module 6, for all Fields of Testing (FoTs) for which the laboratory is accredited. An accredited laboratory that wishes to expand into a new FoT must submit an updated accreditation application to AIHA-LAP, LLC for review by the AAB.

Any changes in ownership, laboratory location, personnel, FoTs/Methods, or significant procedural changes shall be reported to AIHA-LAP, LLC in writing within twenty (20) business days of the change.

The accreditation certificate is the property of AIHA-LAP, LLC and must be returned to us should your laboratory withdraw or be removed from the IHLAP.

Again, congratulations. If you have any questions, please contact Edmund Wong, Laboratory Accreditation Specialist, at (703) 846-0716.

Sincerely,

Cheryl O. Morton
Director
AIHA Laboratory Accreditation Programs, LLC



AIHA Laboratory Accreditation Programs, LLC

acknowledges that

SafeBridge Consultants, Inc.

1924 Old Middlefield Way, Mountain View, CA 94043-2503

Laboratory ID: 184006

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories* in the following:

LABORATORY ACCREDITATION PROGRAMS

- | | |
|---|-----------------------------------|
| <input checked="" type="checkbox"/> INDUSTRIAL HYGIENE | Accreditation Expires: 11/01/2013 |
| <input type="checkbox"/> ENVIRONMENTAL LEAD | Accreditation Expires: |
| <input type="checkbox"/> ENVIRONMENTAL MICROBIOLOGY | Accreditation Expires: |
| <input type="checkbox"/> FOOD | Accreditation Expires: |

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website (www.aihaaccreditedlabs.org) for the most current Scope.

Christine Powell

Christine Powell

Chairperson, Analytical Accreditation Board

Revision 11: 01/13/2011

Cheryl O. Morton

Cheryl O. Morton

Director, AIHA Laboratory Accreditation Programs, LLC

Date Issued: 11/01/2013



AIHA Laboratory Accreditation Programs, LLC

SCOPE OF ACCREDITATION

SafeBridge Consultants, Inc.
1924 Old Middlefield Way, Mountain View, CA 94043-2503

Laboratory ID: **184006**
Issue Date: 11/01/2011

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or revocation. A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>

Industrial Hygiene Laboratory Accreditation Program (IHLAP)

Initial Accreditation Date: 07/01/2007

IHLAP Scope Category	Field of Testing (FoT)	Technology sub-type/ Detector	Published Reference Method/ Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
Pharmaceutical Testing	Liquid Chromatography	HPLC/ UV	SBM022	In House: Thalidomide
			SBM025	In House: Proprietary Method
			SBM027	In House: Proprietary Method
			SBM028	In House: Desogestrel
			SBM029	In House: Amphotericin B
			SBM032	In House: Actinomycin D
			SBM038	In House: Tezacytobine
			SBM040	In House: LNG, NGST, NG (EE2)
			SBM044	In House: Prasterone, Degarelix, DHEA
			SBM052	In House: Pilocarpine
			SBM053	In House: Proprietary Air Sampling Method
			SBM054	In House: Clozapine Base
			SBM055	In House: Temazepam
			SBM056	In House: Bromocriptine Mesylate
			SBM057	In House: Zopiclone
			SBM058	In House: Rifaximin
			SBM059	In House: Butalbital
SBM060	In House: Sertindole			
SBM064	In House: Ribavirin			
SBM070	In House: Proprietary Method			



IHLAP Scope Category	Field of Testing (FoT)	Technology sub-type/ Detector	Published Reference Method/ Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
Pharmaceutical Testing	Liquid Chromatography	HPLC/ UV	SBM072	In House: Tobramycin
			SBM073	In House: Atropine Sulfate
			SBM075	In House: Pergolide Mesylate
			SBM076	In House: Tamoxifen Citrate
			SBM079	In House: Cyclosporin A
			SBM088	In House: Fludrocortisone Acetate
			SBM090	In House: Digoxin
			SBM091	In House: Warfarin
			SBM094	In House: Proprietary Method
			SBM095	In House: Tamoxifen Citrate
			SBM098	In House: Pergolide Mesylate
			SBM099	In House: Proprietary Method
			SBM102	In House: Azathioprine air
			SBM103	In House: Proprietary Method
			SBM104	In House: Cefdinir
			SBM106	In House: Azathioprine surface
			SBM108	In House: Retinol
			SBM109	In House: Lansoprazole
			SBM110	In House: Targetin, Baxerotene
			SBM113	In House: Bendamustine HCl
			SBM114	In House: Firocixib
			SBM130	In House: Enbrel
			SBM131	In House: Aztreonam lysine
			SBM132	In House: Glycopyrolate
			SBM133	In House: Pagoclone
SBM137	In House: Proprietary Method			
SBM145	In House: Decitabine			
SBM149	In House: Amikacin sulfate			
SBM153	In House: Lenalidomide			



IHLAP Scope Category	Field of Testing (FoT)	Technology sub-type/ Detector	Published Reference Method/Title of In-house Method	Method Description or Analyte (for internal methods only)
Pharmaceutical Testing	Liquid Chromatography	HPLC/ UV	SBM154	In House: Proprietary Method
			SBM155	In House: Cytarabine
			SBM156	In House: Proprietary Method
			SBM157	
			SBM158	
			SBM162	In House: Amonafide L-malate
			SBM166	In House: Thalidomide
			SBM170	In House: Azacitidine
			SBM172	In House: Tamsolusin
			SBM175	In House: Naproxen sodium LQL
			SBM177	In House: Pomalidomide
			SBM180	In House: Tobramycin
			SBM180	In House: Proprietary Method
			SBM185	In House: Lactose
			SBM190	In House: Mannitol
			SBM-EHS035	In House: Acitretin
			SBM-EHS052	In House: Tretinoin
			SBM-EHS054	In House: Ganciclovir Valinate
SBM-EHS063	In House: 5-Fluorouracil			

The laboratory participates in the following AIHA-LAP, LLC-approved proficiency testing programs:

- | | |
|---|--|
| <ul style="list-style-type: none"> <input type="checkbox"/> AIHA-PAT Programs, LLC IHPAT Metals <input type="checkbox"/> AIHA-PAT Programs, LLC IHPAT Organic Solvents <input type="checkbox"/> AIHA-PAT Programs, LLC IHPAT Silica <input type="checkbox"/> AIHA-PAT Programs, LLC IHPAT Diffusive Sampler (3M) <input type="checkbox"/> AIHA-PAT Programs, LLC IHPAT Diffusive Sampler (SKC) <input type="checkbox"/> AIHA-PAT Programs, LLC IHPAT Diffusive Sampler (AT) <input type="checkbox"/> AIHA-PAT Programs, LLC IHPAT Asbestos <input type="checkbox"/> AIHA-PAT Programs, LLC Bulk Asbestos (BAPAT) <input type="checkbox"/> AIHA-PAT Programs, LLC Beryllium (BePAT) <input type="checkbox"/> HSE Workplace Analytical Scheme for Proficiency (WASP) (Formaldehyde) <input type="checkbox"/> HSE Workplace Analytical Scheme for Proficiency (WASP) (Thermal Desorption Tubes) | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Pharmaceutical Round Robin <input type="checkbox"/> Compressed/Breathing Air Round Robin <input type="checkbox"/> National Voluntary Laboratory Accreditation Program (NVLAP - determined at the time of site assessment) <input type="checkbox"/> New York State Department of Health (NYS DOH – PCM and TEM) <input type="checkbox"/> ERA Air and Emissions standards for indoor air quality <input type="checkbox"/> Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, formerly BGIA) <input type="checkbox"/> Institut de Recherche Robert-Sauvé en Santé et en Sécurité du Travail (IRSST) |
|---|--|