



October 31, 2017

Laboratory ID: 184006

Teresa Bryning
SafeBridge Consultants, Inc.
1924 Old Middlefield Way
Mountain View, CA 94043-2503

Dear Ms. Bryning:

AIHA Laboratory Accreditation Programs, LLC (AIHA-LAP, LLC) has approved an extension to your laboratory's current certificate of accreditation in the Industrial Hygiene Laboratory Accreditation Program (IHLAP). This extension will expire on February 01, 2018. Remember that your laboratory must maintain proficiency per Policy Module 6 in order for the new certificate to be issued.

Your laboratory remains an accredited laboratory in IHLAP. Please keep a copy of this letter with your expired certificate. If you have questions or concerns, please feel free to contact Drake McGregor, Laboratory Accreditation Specialist at (703) 846-0739.

Sincerely,

A handwritten signature in cursive script that reads "Cheryl O. Morton".

Cheryl O. Morton
Managing Director
AIHA Laboratory Accreditation Programs, LLC

AIHA Laboratory Accreditation Programs, LLC
3141 Fairview Park Drive, Suite 777, Falls Church, VA 22042 USA
main +1 703-846-0736 *fax* +1 703-207-8558

Twitter: @AIHA_LAP_LLC

R3 04/18/2014

Page 1 of 1



September 30, 2015

Laboratory ID: 184006

Teresa Bryning
SafeBridge Consultants, Inc.
1924 Old Middlefield Way
Mountain View, CA 94043-2503

Dear Ms. Bryning:

Congratulations! The AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC's Analytical Accreditation Board (AAB) has approved SafeBridge Consultants, Inc. as an accredited Industrial Hygiene laboratory.

Accreditation documentation includes the IHLAP accreditation certificate, scope of accreditation document and a copy of the current AIHA-LAP, LLC license agreement (if your completed agreement is not on file at AIHA-LAP, LLC). The accreditation symbol has been designed for use by all AIHA-LAP, LLC accredited laboratories. If your laboratory chooses to use the symbol in its advertising the laboratory's accreditation, you must complete and return the AIHA-LAP, LLC license agreement to a Laboratory Accreditation Specialist. Once submitted, an electronic copy of the accreditation symbol will be sent to you. Please inform us if your laboratory does not wish to use the symbol in advertising.

Laboratory accreditation shall be maintained by continued compliance with IHLAP requirements (*see Policy Modules 2B and 6*), which includes proficient participation in AIHA-LAP, LLC approved proficiency testing, demonstration of competency, or round robin program as indicated on the AIHA-LAP "Approved PT and Round Robin" webpage, its associated Scope/PT table, and as required in Policy Module 6, for all Fields of Testing (FoTs) for which the laboratory is accredited. An accredited laboratory that wishes to expand into a new FoT must submit an updated accreditation application to AIHA-LAP, LLC for review by the AAB.

Any changes in ownership, laboratory location, personnel, FoTs/Methods, or significant procedural changes shall be reported to AIHA-LAP, LLC in writing within twenty (20) business days of the change.

The accreditation certificate is the property of AIHA-LAP, LLC and must be returned to us should your laboratory withdraw or be removed from the IHLAP.

Again, congratulations. If you have any questions, please contact Lauren Schnack, Laboratory Accreditation Specialist, at (703) 846-0716.

Sincerely,

Cheryl O. Morton
Managing Director
AIHA Laboratory Accreditation Programs, LLC

AIHA Laboratory Accreditation Programs, LLC
3141 Fairview Park Drive, Suite 777, Falls Church, VA 22042 USA
main +1 703-846-0736 fax +1 703-207-8558

Twitter: @AIHA_LAP_LLC

R3 05/05/2015

Page 1 of 1



AIHA Laboratory Accreditation Programs, LLC

acknowledges that

SafeBridge Consultants, Inc.

1924 Old Middlefield Way, Mountain View, CA 94043-2503

Laboratory ID: 184006

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories* in the following:

LABORATORY ACCREDITATION PROGRAMS

- | | |
|---|-----------------------------------|
| <input checked="" type="checkbox"/> INDUSTRIAL HYGIENE | Accreditation Expires: 11/01/2017 |
| <input type="checkbox"/> ENVIRONMENTAL LEAD | Accreditation Expires: |
| <input type="checkbox"/> ENVIRONMENTAL MICROBIOLOGY | Accreditation Expires: |
| <input type="checkbox"/> FOOD | Accreditation Expires: |
| <input type="checkbox"/> UNIQUE SCOPES | Accreditation Expires: |

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website (www.aihaaccreditedlabs.org) for the most current Scope.

Gerald Schultz, CIH
Chairperson, Analytical Accreditation Board

Cheryl O. Morton
Managing Director, AIHA Laboratory Accreditation Programs, LLC



AIHA Laboratory Accreditation Programs, LLC

SCOPE OF ACCREDITATION

SafeBridge Consultants, Inc.
 1924 Old Middlefield Way, Mountain View, CA 94043-2503

Laboratory ID: **184006**
 Issue Date: 09/30/2015

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

Industrial Hygiene Laboratory Accreditation Program (IHLAP)

Initial Accreditation Date: 07/01/2001

IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/ Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
Pharmaceutical Testing	Liquid Chromatography	HPLC/EC	SBM185	In House: Lactose
			SBM190	In House: Mannitol
		HPLC/ FL	SBM028	In House: Desogestrel
			SBM040	In House: Levonorgestrel Norgestimate Ethinyl Estradiol
			SBM075	In House: Pergolide Mesylate
			SBM098	In House: Pergolide Mesylate
			SBM175	In House: Naproxen sodium
			SBM177	In House: Proprietary
			SBM218	In House: Tenofovir DF
			SBM259	In House: Cyclosporin A
			SBM263	In House: Naproxen
			HPLC/ UV	SBM022
		SBM025		In House: Proprietary Method
		SBM028		In House: Desogestrel
		SBM029		In House: Amphotericin B
		SBM032		In House: Actinomycin D
		SBM038		In House: Tezacytobine
		SBM040	In House: Levonorgestrel Norgestimate Ethinyl Estradiol	



IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/ Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
Pharmaceutical Testing	Liquid Chromatography	HPLC/ UV	SBM044	In House: Prasterone, Degarelix, DHEA
			SBM052	In House: Pilocarpine
			SBM054	In House: Clozapine Base
			SBM055	In House: Temazepam
			SBM056	In House: Bromocriptine Mesylate
			SBM057	In House: Zopiclone
			SBM058	In House: Rifaximin
			SBM059	In House: Butalbital
			SBM060	In House: Sertindole
			SBM064	In House: Ribavirin
			SBM070	In House: Proprietary Method
			SBM072	In House: Tobramycin
			SBM073	In House: Atropine Sulfate
			SBM076	In House: Tamoxifen Citrate
			SBM088	In House: Fludrocortisone Acetate
			SBM090	In House: Digoxin
			SBM091	In House: Warfarin
			SBM094	In House: Proprietary Method
			SBM095	In House: Tamoxifen Citrate
			SBM099	In House: Proprietary Method
			SBM102	In House: Azathioprine air
SBM103	In House: Proprietary Method			
SBM104	In House: Cefdinir			
SBM106	In House: Azathioprine surface			
SBM108	In House: Retinol			
SBM109	In House: Lansoprazole			
SBM110	In House: Proprietary			
SBM113	In House: Bendamustine HCl			
SBM114	In House: Firocixib			



IHLAP Scope Category	Field of Testing (FoT) (FoTs cover all relevant IH matrices)	Technology sub-type/ Detector	Published Reference Method/ Title of In-house Method	Method Description or Analyte <i>(for internal methods only)</i>
Pharmaceutical Testing	Liquid Chromatography	HPLC/ UV	SBM130	In House: Enbrel
			SBM131	In House: Aztreonam lysine
			SBM132	In House: Glycopyrrolate
			SBM133	In House: Pagoclone
			SBM137	In House: Proprietary Method
			SBM145	In House: Decitabine
			SBM149	In House: Amikacin sulfate
			SBM153	In House: Proprietary
			SBM155	In House: Cytarabine
			SBM156	In House: Proprietary Method
			SBM157	In House: Proprietary Method
			SBM158	In House: Proprietary Method
			SBM162	In House: Proprietary
			SBM166	In House: Thalidomide
			SBM170	In House: Azacitidine
			SBM172	In House: Tamsulosin
			SBM217	In House: Tenofovir DF
			SBM229	In House: Proprietary
			SBM250	In House: Proprietary
			SBM254	In House: Betamethasone Acetate
SBM255	In House: Betamethasone Sodium Phosphate			
SBM-EHS035	In House: Acitretin			
SBM-EHS052	In House: Tretinoin			
SBM-EHS054	In House: Ganciclovir Valinate			
SBM-EHS063	In House: 5-Fluorouracil			

A complete listing of currently accredited Industrial Hygiene laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>